

INDUSTRIAL

IN THIS CATEGORY

COMPRESSORS

- Accessories - Attachments (p.3-6)
- Diesel Air Compressors (p.6)
- Electric Air Compressors (p.7-9)
- Petrol Air Compressors (p.10)

GENERATORS (p.11-12)

INDUSTRIAL HOSE & AIR HOSE (p.12-17)

PRESSURE WASHERS

- Attachments & Accessories (p.17-18)
- Parts (p.18-19)
- Units (p.20-22)

STATIONARY ENGINES (p.22-23)

VACUUM CLEANERS (p.24)

WACKERS (p.25)

SYDNEY

(02) 9769 1166

114 TOONGABBIE RD

TOONGABBIE NSW 2146

BRISBANE

(07) 5540 7530

8-9/67 Cuthbert Drive

YATALA QLD 4207

SHOP ONLINE

WWW.MRFILTER.COM.AU

COMPRESSOR ACCESSORIES - ATTACHMENTS



Tyre Inflator 201T Jamec Pem
020100



Linear Sight Glass Tyre Inflator
024012



Chuck Straight & Angled Clip On
030442



Air Chuck Single Angled Clip On
030460



Dual Chuck Non Sealing Tyre Inflator
030465



Dual Chuck Sealing Tyre Inflator
030472



Single Right Angled Chuck Sealing
032623



Dual Angle Hold On 1/4" Air Chuck
F-03-0465



Tyre Gauge - Slide Bar - Long Reach
05-3045



Tyre Gauge Pocket Dual Head
052825



Hold On Single Angle Tractor Tyre Gauge
052875



Earth Mover Tyre Gauge Dial Large Bore
052885



Tyre Inflator Heavy Duty TDR2000
10-2000



Tyre Pressure Gauge Dial
052898



540B Dial Tyre Gauge 5-60Psi
052900



Air Filter Regulator 1/4 BSP
06-2426



Filter Regulator Lubricator
06-2445



Air Filter Regulator 1/2 BSP
062432



Regulator- Compressed Air 1/4 BSP
062461



Air Filter Regulator & Lubricator
10170

WWW.MRFILTER.COM.AU

SYDNEY (02) 9769 1166

Mr Filter EST 1998
TRUCKING EARTHMOVING MINING SUPPLIES

BRISBANE (07) 5540 7530



Clip On Tyre Chuck 1/4" Straight
102220R



Tyre Inflator Round 220psi
108333



Tyre Inflator With Gauge
10860



Tyre Inflator With Dial Gauge
10880



Professional Tyre Inflator
10895



1/4Bsp Single Clip On
10TC301



Tyre Pressure Gauge With
10TG-041



Jamec-Pem 11.0545 Digi-
11-0545



Digital Tyre Inflator
11-0723



Dial Tyre Inflator TDR5000
11-0734



Digital Gauge Tyre Inflator
110523



Dial Gauge Tyre Inflator
110534



Tyre Inflator With Digital
PY20103



Service Station Styre Type
RG2784



Air Filter Regulator With Lubricator
2010



300 Series 1/2Bsp Filter Regulator
27-IFR300-04



1/2 Bsp Air / Water Separator
28GF400-08



1/4 Bsp Separator & Regulator
28GFR300-04



3/8 Bsp Separator & Regulator
28GFR300-06



1/2" Filter Regulator
28GFR300-08

WWW.MRFILTER.COM.AU

SYDNEY (02) 9769 1166

Mr Filter EST 1998
TRUCKING EARTHMOVING MINING
SUPPLIES

BRISBANE (07) 5540 7530



300 Series 1/4BSP Lubricator
28GL300-04



Air Lubricator 3/8" Bsp
28GL300-06



600 Series 1BSP Lubricator
28GL600-16



300 Series 1/4BSP Regulator
28GR300-04



Vertical Compressed Air Storage Tank 300lt
3100300



Vertical Compressed Air Storage Tank 600lt
3100600



Dual Chuck Tyre Inflator Tradequip
5088



240v Automatic Tyre Inflator
52114A



Filter Regulator & Lubricator
6608



Inflation Device Dual standard
170350



Air Regulator With Gauge 0 To 150Psi
2005TE



Truck Tyre Lever Set
6925



Filter Regulator + Lubricator
AC40A-04DG-B



Filter Regulator 1/2 Ports
AL-2000



Endeavour Tyre Depth Gauge
ET2311



Tyre Pressure Gauge Dial
SP65508



M7 Air Truck Tyre Inflator, 100MM
M7-SB423



Tyre Inflator With Dial Gauge
RG2728



Tyre Inflator - With Dial Gauge
RG2776



Scorpion Tyre Inflator(Barrel)
S-860

WWW.MRFILTER.COM.AU

SYDNEY (02) 9769 1166

Mr Filter EST 1998
TRUCKING EARTHMOVING MINING
SUPPLIES

BRISBANE (07) 5540 7530



Gauge Bottom Mount 50Mm
SCA20S



Pressure Switch 4 Ports
SCA5001



Tyre Chuck Suit Large Valve
030497



Compressed Air Adaptor
SP66110



Dual Safety Chuck (Lock on Type)
6911-L



Lock-On Air Chuck (Flow-Thru Design)
6914



12V Compact Tyre Inflator - Skin Only
W133250



18V Tyre Inflator - Skin Only
W197637

DIESEL AIR COMPRESSORS

	MC10070D	Able Diesel 20CFM Compressor 7HP 100 Litre 145PSI		
	Motor Size: 7HP	Free Air Delivery: 425 L/min	Max Pressure: 145 psi	
	Tank Volume: 100L	Engine: Hailin 178 4 Stroke	Weight: 208 (kg)	Dimensions: 1210x520x1110mm
	PUP30YES	Puma P30Y Electric Start		
	Motor Size: 6.7HP	Free Air Delivery: 690 L/min	Max Pressure: TBC	
	Tank Volume: 125L	Engine: Yanmar ES	Weight: 204 (kg)	Dimensions: 1410x450x1000

WWW.MRFILTER.COM.AU

ELECTRIC AIR COMPRESSORS

	1129740164	Air Compressor 500L 15HP ATB Series Belt Drive		
	Motor Size: 15HP Belt Drive	Free Air Delivery: 1470 L/m	Max Pressure: 145 psi	
	Tank Volume: 500L	Voltage (V): TBC	Weight: 465 (kg)	Dimensions: 2000x710x1370mm
	PUP25415V	Puma P25 125L 3 Phase 415V Air Compressor		
	Motor Size: 4HP	Free Air Delivery: 390 L/min	Max Pressure: 130 psi	
	Tank Volume: 125L	Voltage (V): 415	Weight: 178 (kg)	Dimensions: 1400x900x510mm
	PUP30415V	Puma P30 140L 3 Phase 415V Air Compressor		
	Motor Size: 5.5HP	Free Air Delivery: 520 L/min	Max Pressure: 130 psi	
	Tank Volume: 140L	Voltage (V): 415	Weight: 205 (kg)	Dimensions: 1550x960x510mm
	SP11-12X	2.2Hp Direct Drive Compressor 10L Tank		
	Motor Size: 2.2HP Direct Drive	Free Air Delivery: 126 L/min	Max Pressure: 150 psi	
	Tank Volume: 10L	Voltage (V): 240	Weight: 31 (kg)	Dimensions: 965x400x518mm
	SP1140X	2Hp Portable Air Compressor 36L Tank		
	Motor Size: 2.0HP Direct Drive	Free Air Delivery: 126 L/min	Max Pressure: 150 psi	
	Tank Volume: 36L	Voltage (V): 240	Weight: 37 (kg)	Dimensions: 630x360x680mm
	SP1250X	2.5Hp Direct Drive Compressor 50L Tank		
	Motor Size: 2.5HP Direct Drive	Free Air Delivery: 182 L/min	Max Pressure: 150 psi	
	Tank Volume: 50L	Voltage (V): 240	Weight: 56 (kg)	Dimensions: 800x360x710mm
	SP13-50X	2.2Hp Belt Drive Compressor 50Ltr Tank		
	Motor Size: 2.2HP Belt Drive	Free Air Delivery: 194 L/min	Max Pressure: 150 psi	
	Tank Volume: 50L	Voltage (V): 240	Weight: 71 (kg)	Dimensions: 800x400x700mm

WWW.MRFILTER.COM.AU

SYDNEY (02) 9769 1166

Mr Filter
EST 1998
TRUCKING (EARTHMOVING MINING SUPPLIES)

BRISBANE (07) 5540 7530




	SP14	2.5HP 60L 150PSI Portable Air Compressor		
	Motor Size: 2.5HP Belt Drive	Free Air Delivery: 260 L/min	Max Pressure: 150 psi	
	Tank Volume: 60L	Voltage (V): 240	Weight: 60 (kg)	Dimensions: 950x370x780mm
	SP17	Air Compressor V Twin Cast 3HP 60L Tank 318LPM		
	Motor Size: 3HP Belt Drive	Free Air Delivery: 318 L/min	Max Pressure: 150 psi	
	Tank Volume: 60L	Voltage (V): 240	Weight: 60 (kg)	Dimensions: 950x370x780mm
	SP1800	Belt Drive Trade Cast Triple 3Hp 100L Air Compressor		
	Motor Size: 3HP Belt Drive	Free Air Delivery: 385 L/min	Max Pressure: 150 psi	
	Tank Volume: 100L	Voltage (V): 240	Weight: 104 (kg)	Dimensions: 1150x450x900mm
	SP25	3 Phase Stationary Compressor 5.5Hp Triple Cast		
	Motor Size: 5.5Hp Belt Drive	Free Air Delivery: 508 L/min	Max Pressure: 150 psi	
	Tank Volume: 200L	Voltage (V): 415	Weight: 160 (kg)	Dimensions: 1470x490x1130mm
	SP50	Triple Cast Electric Compressor 270L Tank 3 Phase		
	Motor Size: 10Hp Belt Drive	Free Air Delivery: 1360 L/min	Max Pressure: 150 psi	
	Tank Volume: 270L	Voltage (V): 415	Weight: 254 (kg)	Dimensions: 1630x630x1360mm
	VABD30-100	3.0 Hp 100L Belt Drive 8 Bar Air Compressor		
	Motor Size: 3HP Belt Drive	Free Air Delivery: 260 L/min	Max Pressure: 115 psi	
	Tank Volume: 100L	Voltage (V): 240	Weight: 95 (kg)	Dimensions: 1090x420x860mm
	VADD15-24	2.0Hp 24L Direct Drive Air Compressor		
	Motor Size: 2.0HP Direct Drive	Free Air Delivery: 70 L/min	Max Pressure: 115 psi	
	Tank Volume: 24L	Voltage (V): 240	Weight: 22 (kg)	Dimensions: 580x250x570mm

WWW.MRFILTER.COM.AU

SYDNEY (02) 9769 1166

Mr Filter EST 1998
TRUCKING EARTHMOVING MINING
SUPPLIES

BRISBANE (07) 5540 7530

	VADD20-40	2.0hp 40L Direct Drive Air Compressor		
	Motor Size: 2.0HP Direct Drive	Free Air Delivery: 120 L/min	Max Pressure: 115 psi	
	Tank Volume: 40L	Voltage (V): 240	Weight: 30 (kg)	Dimensions: 710x290x700mm
	VSC2400	3.3 Hp 100L Silent Oil Less Air Compressor		
	Motor Size: 3.3HP Direc Drive	Free Air Delivery: 219 L/min	Max Pressure: 115 psi	
	Tank Volume: 100L	Voltage (V): 240	Weight: 57 (kg)	Dimensions: 780x430x590mm
	W183809	Li-ion Cordless FUEL 7.6L 90PSI Air Compressor		
	Motor Size: TBC	Free Air Delivery: TBC	Max Pressure: 135 psi	
	Tank Volume: 7.6L	Voltage (V): 18	Weight: 14.2 (kg)	Dimensions: 413x470x262mm



Air Compressor 250Psi 12V
RG6043



Dual Cylinder 12V Compressor HD
65AA250



Air Compressor Kit 150Psi 12V
AC0072



Dr Air Air Compressor 12V
AC402



Air Compressor Kit 150Psi 12V
HU0150



Adventurer 3 Air Compressor 160L/Min
MMACA3


WWW.MRFILTER.COM.AU

SYDNEY (02) 9769 1166

Mr Filter EST 1996
TRUCKING EARTHMOVING MINING SUPPLIES

BRISBANE (07) 5540 7530

PETROL AIR COMPRESSORS

	BC15P-50L	15Cfm/ 6.5Hp Petrol Air Compressor 50L Tank		
	Motor Size: 6.5HP	Free Air Delivery: 340 L/min	Max Pressure: 125 psi	
	Tank Volume: 50L	Engine: Honda GX200	Weight: 82 (kg)	Dimensions: 1060x470x800mm
	COMP16065-H	160L Petrol Air Compressor - Industrial Belt Drive		
	Motor Size: 6.5HP Belt Drive	Free Air Delivery: 442 L/min	Max Pressure: 145 psi	
	Tank Volume: 160L	Engine: Honda GX	Weight: 130 (kg)	Dimensions: 1350x550x1000mm
	K17P	Pilot Petrol Compressor Pull Start		
	Motor Size: 2 to 20 HP	Free Air Delivery: 308 L/min	Max Pressure: 145 psi	
	Tank Volume: 100L	Engine: Honda GX160	Weight: 100 (kg)	Dimensions: 1100x490x800mm
	K30PELEC	Pilot Air Petrol Reciprocating Compressor Electric Start		
	Motor Size: 2 to 20 HP	Free Air Delivery: 812.2 L/min	Max Pressure: 145 psi	
	Tank Volume: 200L	Engine: Honda GX390	Weight: 220 (kg)	Dimensions: 1410x500x1050mm
	P17P	Peerless Petrol Compressor Pull Start		
	Motor Size: TBC	Free Air Delivery: 350 L/min	Max Pressure: 145 psi	
	Tank Volume: 55L	Engine: Honda GX200	Weight: 95 (kg)	Dimensions: 1100x450x820mm
	PV25	545LPM Peerless Petrol Compressor		
	Motor Size: 5.5HP Belt Drive	Free Air Delivery: 545 L/min	Max Pressure: 145 psi	
	Tank Volume: 110L	Engine: TBC	Weight: 158 (kg)	Dimensions: 1090x450x930mm
	SP17P	Belt Drive Petrol 6.5Hp 60Lt Air Compressor		
	Motor Size: 6.5HP	Free Air Delivery: 356 L/min	Max Pressure: 150 psi	
	Tank Volume: 60L	Engine: Torini OHV 4 Stroke	Weight: 80 (kg)	Dimensions: 1005x490x790mm

WWW.MRFILTER.COM.AU

SYDNEY (02) 9769 1166

Mr Filter EST 1998
TRUCKING EARTHMOVING MINING
SUPPLIES

BRISBANE (07) 5540 7530

GENERATORS




GL6000		Kubota Generator 6KVA - GL6000 Lowboy 3 - Digital	
Engine: Kubota Z482-Eb, 2 cylinder vertical water cooled		Fuel L/hr (75% Load): 2.33	Rated Output: 5.5kVA(5.5 kW)
No. of phase: Single	Fuel: Diesel	Tank capacity: 28L	Control Panel: Deep Sea
Speed: TBC	Alternator Type: AVR, Rotating field	Dimensions: 1066x618x698mm	Weight: 235 (kg)



GL9000		Kubota Generator 9KVA GL9000	
Engine: Kubota D722-EB, Vertical Water Cooled Diesel Engine		Fuel L/hr (75% Load): 3.29	Rated Output: 8kVA(8kW)
No. of phase: Single	Fuel: Diesel	Tank capacity: 28L	Control Panel: Deep Sea
Speed: 3000	Alternator Type: AVR, Revolving	Dimensions: 1281x618x698mm	Weight: 280 (kg)

	SPG2800		Generator Industrial Series Pure Sine Wave	
	Operating Hours: 23h at 50% load		Rated Output: 2.8KVA	
	Max Watts: 2300W	Rated Watts: 2000W	Power Outlet: 2 (15amp)	
	Power: 50Hz/240v	Starting system: Pull	Dimensions: 590x 430 x	Weight: 45kg
	SPGD6800E		13HP Diesel Generator Construction Series	
	Operating Hours: 10h at 50% load		Rated Output: 6.8KVA	
	Max Watts: 5500W	Rated Watts: 5000W	Power Outlet: 2 (15amp)	
	Power: 50Hz/240v	Starting system: Electric	Dimensions: 730 670x700mm	Weight: 112kg
	SPGI3300		Inverter Generator 3300W Pull 4L	
	Operating Hours: 4.7h at 50% Load		Rated Output: 3.3KVA	
	Max Watts: 3300W	Rated Watts: 2500W	Power Outlet: 2 (15amp)	
	Power: 50Hz/240v	Starting system: Pull	Dimensions: 600x340x530mm	Weight: 27kg

WWW.MRFILTER.COM.AU

	SPGI3300E	Inverter Generator 3300W Electric 10L		
	Operating Hours: 5.5hrs @50% Load		Rated Output: 3.3KVA	
	Max Watts: 3300W	Rated Watts: 3000W	Power Outlet: 2 (15amp)	
	Power: 50Hz/240v	Starting system: Electric	Dimensions: 605x465x535mm	Weight: 45kg
	SPGI4500E	4.5Kva Inverter Generator 10L		
	Operating Hours: 8h at 50% Load		Rated Output: 4.5KVA	
	Max Watts: 4500W	Rated Watts: 3500W	Power Outlet: 2 (15amp)	
	Power: 50Hz/240v	Starting system: Electric & Pull	Dimensions: 570x440x510mm	Weight: 45kg
	W15167	Yamaha Petrol Powered Inverter Generator 11.2L		
	Operating Hours: 17hrs (1/4 load, Eco On)		Rated Output: 2.5KVA	
	Max Watts: 4000kW	Rated Watts: TBC	Power Outlet: TBC	
	Power: 50Hz	Starting system: Recoil	Dimensions: 487x395x425mm	Weight: 29kg

INDUSTRIAL HOSE & AIR HOSE

SKU	Description
14N1103-20	3/16 Nylon Tube Hose Black - 20Mtr
14N1104-20	1/4 Nylon Tube Hose Black - 20Mtr
14N1105-20	5/16 Nylon Tube Hose Black - 20Mtr
14N1106-20	3/8 Nylon Tube Hose Black - 20Mtr
14N1108-20	1/2 Nylon Tube Hose Black - 20Mtr
14NM1104-20	4Mm Nylon Tube Hose Black - 20Mtr
14NM1105-20	5Mm Nylon Tube Hose Black - 20Mtr
14NM1106-20	6Mm Nylon Tube Hose Black - 20Mtr
14NM1108-20	8Mm Nylon Tube Hose Black - 20Mtr
14NM1110-20	10Mm Nylon Tube Hose Black - 20Mtr
14NM1112-20	12Mm Nylon Tube Hose Black - 20Mtr
14NM1112-100	Air Line Nylon 12mm x100 Mt
14NSR08-20	1/2 F-2500 Hi-Pressure Nylon Tube Hose Black - 20Mtr
16-PT06-100	6x1.5mm Polyamide Tube - 98Mtr
16-PT06F-100	6x1.5mm Grease Filled Polyamide Tube - 98mtr



WWW.MRFILTER.COM.AU

SKU	Description	SKU	Description
		24040	Vulco Straight Coolant Hose 2" (63mm)
24008	Vulco Straight Coolant Hose (12.7mm)	24042	Vulco Straight Coolant Hose 2-5/8" (67mm)
24014	Vulco Straight Coolant Hose 7/8" (22mm)	24046	Vulco Straight Coolant Hose 2-7/8" (73mm)
24016	Vulco Straight Coolant Hose 1" (25.4mm)	24048	Vulco Straight Coolant Hose 3" (76mm)
24018	Vulco Straight Coolant Hose 1-1/8" (28.6mm)	24056	Vulco Straight Coolant Hose 3" (89mm)
24020	Vulco Straight Coolant Hose 1" (31.8mm)	24064	Vulco Straight Coolant Hose 4" (102mm)
24022	Vulco Straight Coolant Hose 1-3/8" (35mm)	24232	Vulco Straight Coolant Hose 2"
24024	Vulco Straight Coolant Hose 1.5" (38mm)	24242	Vulco Straight Coolant Hose 2-5/8"
24028	Vulco Straight Coolant Hose 1" (44mm)	24252	Vulco Straight Coolant Hose 3" (83mm)
24030	Vulco Straight Coolant Hose 1-7/8" (48mm)	24260	Vulco Straight Coolant Hose 3.3/4"
24032	Vulco Straight Coolant Hose 2" (51mm)		
24034	Vulco Straight Coolant Hose 2-1/8" (54mm)		
24036	Vulco Straight Coolant Hose 2" (57mm)		
24038	Vulco Straight Coolant Hose 2-3/8" (60mm)		



SKU	Description	SKU	Description
		27069	Fuel Hose 5/16" x 1M
27000	1M 1/8 Fuel Hose	27070	Fuel Hose 3/8" x 1M
27001	1M 3/16 Fuel Hose	80057	Fuel Hose 6MM X 7.6M
27002	Fuel Hose 1/4"	80060	Fuel Hose 8MM X 7.6M
27003	Fuel Hose 5/16" x 7.6M	80062	Fuel Hose 8MM 76M
27004	Fuel Hose 3/8" x 7.6M	80063	Fuel Hose 10MM X 7.6M
27005	1M 7/16 Fuel Hose		
27006	1M 1/2 Fuel Hose		
27008	1M Fuel Hose 5/8" x 7.6M		
27068	Fuel Hose 1/4" x 1M		



SKU	Description
27041	1M Vacuum Hose 7/64"
27042	1M Vacuum Hose 5/32"
27043	1M Vacuum Hose 7/32"
27044	Vaccum Hose 1/4" x 7.6M
27049	Vaccum Tube 1/4 90",025"

WWW.MRFILTER.COM.AU

SYDNEY (02) 9769 1166

Mr Filter
EST 1998
TRUCKING (EARTHMOVING MINING SUPPLIES)

BRISBANE (07) 5540 7530

SKU	Description
27240	1Mtr Air Brake Hose 3/8
27241	1Mtr Air Brake Hose 1/2
28761	1/2" Air Brake Hose



SKU	Description
28316	Green Stripe WIGS Coolant Hose 1" (25mm) 3m
28320	Green Stripe WIGS Coolant Hose 1" (31.8mm) 3m
28324	Green Stripe WIGS Coolant Hose 1" (38mm) 3m
28328	Green Stripe WIGS Coolant Hose 1" (44.5mm) 3m
28332	Green Stripe WIGS Coolant Hose 2" (51mm) 3m
28336	Green Stripe WIGS Coolant Hose 2 1/4"(57mm) 3m
28340	Green Stripe WIGS Coolant Hose 2.5" (63mm) 3m
28344	Green Stripe WIGS Coolant Hose 2" (70mm)
28348	Green Stripe WIGS Coolant Hose 3" (76mm) 3m
28356	Green Stripe WIGS Coolant Hose 3" (89mm) 3m



SKU	Description
28400	1Mtr Heater Hose 1/2
28401	1Mtr Heater Hose 5/8
28402	1Mtr Heater Hose 3/4
28409	1Mtr Heater Hose 3/8
28418	Heater Hose 3/4"X 250FT

SKU	Description
32050010	1MTR Premo Flex 3/16" (4.8mm)
32050015	1MTR Premo Flex 1/4" (6.3mm)
32050020	1MTR Premo Flex 5/16" (7.9mm)
32050025	1MTR Premo Flex 3/8" (9.5mm)
32050030	1MTR Premo Flex 1/2" (12.7mm)
32050036	1MTR Premo Flex 5/8" (15.9mm)
32050040	1MTR Premo Flex 3/4" (19mm)
32050046	1MTR Premo Flex 1" (25.4mm)
32050050	1MTR Premo Flex 1 1/4" (31.8mm)





SKU	Description
5526-050-25	1/2 Blue Silicone Heater Hose Box 7m
5526-062-50	Silicone Heater Hose 5/8
5526-075-50	3 Quarter Inch Silicone Hose 15M
5526-100-50	1 Inch Silicone Hose 15M
5526038FT	3/8" Blue Silicone Heater Hose
5526050FT	1/2" Blue Silicone Heater Hose



Standard Duty 15m x 12mm ID Hose
507122



Air Hose Reel - Retractable 20 M
581034



Retracta R3 Air Hose Reel -
AR320B-01



S Series Air Hose Reel - 10mm
SA300N



Fire Hose & Reel - Yellow Hose
175FIREREEL30X30



13mm x 5m Clear Vinyl Tubing
3130568



25mm x 3m Clear Vinyl Tubing
3130576



Garden Hose 12MM X 20M
3130817



Jamec Pem Hose Air 3/8" 20mtr
56-3112



Jamec Pem Hose Air 3/8" 10mtr
56-3134



Jamec Pem Hose Air 3/8" 20mtr
56-3145



Jamec Pem Hose Air 3/8" 30mtr
56-3156



Jamec Pem Hose Water 12Mm 20m
56-3178



Hose Air 1/2" 3/8" BSP Male Fittings 20M
56-3245



25mm Yellow Air Hose 25mtr
A-GPY-025



Tube Pack - Clear Vinyl 3Mm X 5Mm Od
PK22600

WWW.MRFILTER.COM.AU

SYDNEY (02) 9769 1166

Mr Filter
EST 1998
TRUCKING EARTHMOVING MINING
SUPPLIES

BRISBANE (07) 5540 7530



Tube Pack - Clear Vinyl 6Mm X 9Mm Od
PK22601



Tube Pack - Vinyl 8Mm X 11Mm Od
PK22602



Discharge Hose- 20mx4"- Red
QLFH100RL020F



Air Hose Comp 25mm x 20mtr
080009025020AS



Suction Hose Coil 3/4 X 20M
10-200-019-020



Pvc Air Hose 10 Meter
12690



Pvc Air Hose 20 Meter
12695



Pvc Air Hose 30 Meter
12697



1/2 (12mm) Clear Vinyl Tube
13CVT08



3/4 (19mm) Clear Vinyl Tube
13CVT12



1 Inch (25.4mm) Rubber
13RMP16-20



Layflat Light Duty Blue Boxed
04-000-9076-020CEW



Ducting Hose 300Mm X1m
PBR1012



Ducting Hose 400mmx10mt
PBR1016



Ducting 600mm x 10mt
PBR1024



12X8Mm Polyurethane Tube
14MPU12B



1/8 Nylon Tube Hose Black - 20Mtr
14N1102-20



Flexible Hose Water 3/4" (Flat Seat)
107346



Grey Suction Water Hose
02-00076-076-CUT



Dura Pex Flex Hose Water 450mm
107758

WWW.MRFILTER.COM.AU

SYDNEY (02) 9769 1166

Mr Filter EST 1998
TRUCKING EARTHMOVING MINING
SUPPLIES

BRISBANE (07) 5540 7530



Dura Pex Flex Hose Water 1000mm
107760



Cat Hose Assembly
131-6645



Clear Tubing 600mm x 100m
FCT600150



Unicoil 1/2 90 Degree
28510



Unicoil 3/4 90 Degree
28512



Hose Connector & Nozzle Set
3110705

PRESSURE WASHERS - ATTACHMENTS & ACCESSORIES



Petrol Lance + Spray Gun
12585400327



Foam Lance Kit White
12588-400-048W



Spinner Cleaner 14" BAR"
125BAR1400



20" BE Whirl-A-Way Surface Cleaner
125BAR2000Y



Spinner Yellow "No Castors/Wheels"
125BAR2000YN



Lance (1200mm)
148070012009



Lance 435mm (D20)
1550202002510



Lance 500mm
1550202002530



Lance 600mm
1550202002540



Lance 900mm (D-20)
1550202002560



Bar Lance
12585202039



Gun & Lance Assembly
12585205026

WWW.MRFILTER.COM.AU

SYDNEY (02) 9769 1166

Mr Filter EST 1996
TRUCKING EARTHMOVING MINING SUPPLIES

BRISBANE (07) 5540 7530



684mm Lance to suit ABSC40
C392401



Blaster Gun AL55 + QC 22mm Inlet
M4022209003



Industrial Spray Gun (5000psi)
CGPDG5010



Gun Vega Tuff with Swivel
30-2030-92



RL56 Gun c/w Swivel (D16)
14530-4520-10



High Pressure Hose 10Mtr
12585225230



Hose 3/8" 10m 4000psi QC
165R1J40010MGQC



Pressure Hose 5 Meter
HS5



Pressure Hose 7 Meter
HS7



Hose Pressure Washer 12M
HS-12



Nozzle Set 5pc - Cougar Pressure Washer
C105082Q



Nozzle Kit QC 040 "BAR"
12585210040



Coupler Quick Connect
12585302108S



Nozzle Aussie Pumps
C915020M



Pressure Gauge 0-60 bar, 100mm
PG100-B-060-B



Retaining Cap - 1-1/4" P/P
VAB0125D6

PRESSURE WASHERS PARTS



Coupler- QC Stainless Steel Inlet: 1/4F
12585-301-102S



Couplers Q/C 1/4F SS (D50/100)
12585301102SB



X Coupler - Quick Connect (D1)
12585302103S



Nozzle Rotating - 045
14525-1690-45

WWW.MRFILTER.COM.AU

SYDNEY (02) 9769 1166

Mr Filter EST 1998
TRUCKING EARTHMOVING MINING SUPPLIES

BRISBANE (07) 5540 7530



Nozzle Rotating - 05 Light Pur
14525-1690-50



Coupling A Npl 1/4 Bsp F
14526000231B



X Coupling A Npl 3/8 Bsp M(25)
14526003031B



Coupling A Npl 3/8 Bsp F (25)
14526003131B



Coupling A Npl 1/4 Bsp M
14526005131B



Coupling B Conn 1/4 Bsp F (25)
14526025020B



Coupling B Conn 1/4 Bsp M (25)
14526025030B



Coupling B Conn 3/8 Bsp F (D25)
14526025040B



Coupling B Conn 3/8 Bsp M (25)
14526025050B



Coupler Quick Connect S/S D1
14526201561SX



Quick Connect Plug (D1)
14526202361SX



Safety Valve VS350
14560-0580-00



Unloader - VB350 5000Psi
14560-1800-00



Vrt3 Unloader Valve
155-0215010260



M Connector QC 1/4x1/4 noz (C1)
165HT8M



Pressure Washer Wheel/Tyre
PWW



Hose (Thermo) 20 metres
12585225232







WWW.MRFILTER.COM.AU

SYDNEY (02) 9769 1166

Mr Filter
EST 1996
TRUCKING EARTHMOVING MINING
SUPPLIES

BRISBANE (07) 5540 7530




PRESSURE WASHERS UNITS

 <p>*Model HD301555-T Shown (With Water Tank)</p>	104HD301555	Industrial Pressure Cleaner 3000 PSI Electric	
	Performance: 3000 PSI @ 15 L/min		Pump: Comet RW4030S Plunger
	Engine: 415V/ 5.5kW/ 12.2Amp	Unloader: External	RPM: 1440
	120BAR2765CH	Pressure Cleaner Honda GX200 2700psi	
	Performance: 2700 PSI @ 11.3 L/min		Pump: Comet BWD-K3027G Plunger
	Engine: Honda Canada 6.5HP GX200	Best Quality For Driveways & Residential	RPM: TBC
	120BAR3170CR	Pressure Cleaner 3100psi	
	Performance: 3100 Psi @ 9.4 L/min		Pump: Comet CXD2530 Axial
	Engine: Powerease R225 7.5 hp	Best Budget For Driveways & Residential	RPM: 2800
	120BAR4013C-HE	Pressure Cleaner - Electric Start GX390E	
	Performance: 4000 PSI @ 15 L/min		Pump: Comet ZWD4040G Plunger
	Engine: Honda Canada 13HP GX390	Unloader: External	RPM: TBC
	120BAR4013C-HEJ	Pressure Cleaner Honda Gx390 Electric Start 4000Psi	
	Performance: 4000 PSI @ 15 L/min		Pump: Comet ZWD4040 Plunger
	Engine: Honda Australia 13HP GX390	Unloader: External	RPM: 2800
	120BAR4013CH	Cleaner Petrol 4000psi Honda GX390 13HP	
	Performance: 4000 PSI @ 15 L/min		Pump: Comet ZWD4040G Plunger
	Engine: Honda Canada 13 hp GX390	Best Quality Overall Commercial Use	RPM: 3400

WWW.MRFILTER.COM.AU

	120BAR4015CR	Powerease Pressure Cleaner 4000psi	
	Performance: 4000 PSI @ 15 L/min		Pump: Comet ZWD4040G Plunger
	Engine: Powerease China 15HP R420	Budget Powerful Machine Residential	RPM: TBC
	120BAR5027CG-HEJM	Pressure Cleaner (NO TANK) 5000 PSI, 21 L/M	
	Performance: 5000 PSI @ 21 L/min		Pump: Comet TW5550S Plunger
	Engine:	Unloader: External	RPM: 1440
	120PP2760AR	Pressure Cleaner 2700psi 6HP	
	Performance: 2,700 psi @ 9 L/min		Pump: Annovi Axial
	Engine: Powerease R210 7 hp	Best Budget For Small Jobs	RPM: TBC
	121BAR3510-REJD	Diesel Pressure Cleaner 3500psi	
	Performance: 3500 PSI @ 15 L/min		Pump: Annovi Plunger RSV 4G40
	Engine: Powerease 10HP H100	Unloader: TBC	RPM: 3400
	107KTX310	Pressure Washer Hot Water	
	Performance: 2,175 psi @ 10 L/min		Pump: LWK
	Engine: TBC	Ultimate Hot Water For Tough Jobs	RPM: 1450
	DPC2200	Dual Pressure Cleaner 2200psi Makinex	
	Performance: 2200psi		Pump: AR Triplex
	Engine: Briggs & Stratton	Best For Small Floor Area Residential	RPM: 3600

WWW.MRFILTER.COM.AU

	DPW4000	Dual Pressure Washer Makinex 4000psi		
	Performance: 1000 psi to 4000 psi		Pump: Heavy duty AR Triplex	
	Engine: Honda GX390	Best For Large Floor Area Commercial	RPM: TBC	
	122HOT3010G-YE	Hot Diesel Pressure Cleaner 2900psi Elec Start		
	Performance: 2900 PSI @ 16 L/min		Pump: Comet Plunger	
	Engine: Yanmar 10HP	Unloader: External	RPM: 1400	
	124HP20131H	Super High Pressure Pump Set - Recoil Start		
	Performance: 500 L/min		Pump: 2" BSP Clean Water	
	Engine: Honda GX390 13 hp	Unloader: TBC	RPM: TBC	

STATIONARY ENGINES

GX160ENG	GX160 Honda Engine 3/4 - Keyway QX			
Engine Type: 4-stroke, overhead valve, single-cylinder		Ignition: Transistorized magneto		
Net Power: 3.6kw (4.8HP) at 3,600 rpm		Continuous Rated Power: 2.9kw (3.9HP) at 3,600 rpm		
Bore x Stroke: 68 x 45mm	Displacement: 163cc	Compression Ratio: 8.5 : 1		
Horsepower Class: 5.5 hp	Max Torque: 10.3Nm at 2,500rpm	Shaft: Horizontal		
Fuel Type: Unleaded	Fuel Tank Cap. : 3.1L	Fuel Consumption: 1.4 L/Hour	Oil Capacity: 0.6L	Dimensions: 312x362x346mm



WWW.MRFILTER.COM.AU

Mr Filter EST 1998
TRUCKING EARTHMOVING MINING
SUPPLIES

SYDNEY (02) 9769 1166

BRISBANE (07) 5540 7530

GX200-ENGINE		GX200 Honda Engine 3/4 Keyway Shaft		
Engine Type: 4-stroke, overhead valve, single-cylinder		Ignition: Transistorized magneto		
Net Power: 4.1kw (5.5HP) at 3,600 rpm		Continuous Rated Power: 3.7kW (5.0HP) at 3,600 rpm		
Bore x Stroke: 68 x 54mm	Displacement: 196cc	Compression Ratio: 8.5 : 1		
Horsepower Class: 6.5 hp	Max Torque: 12.4Nm at 2,500 rpm	Shaft: Horizontal		
Fuel Type: Unleaded	Fuel Tank Cap. : 3.1L	Fuel Consumption: 1.7 L/Hour	Oil Capacity: 0.6L	Dimensions: 313x376x346mm



GX390MOT		GX390 Complete Motor		
Engine Type: 4-stroke, overhead valve, single-cylinder		Ignition: Transistorized magneto		
Net Power: 8.2kw (11.0HP) at 3,600 rpm		Continuous Rated Power:		
Bore x Stroke: 88 x 64mm	Displacement: 389cc	Compression Ratio: 8.0 : 1		
Horsepower Class: 13.0 hp	Max Torque: 25.1Nm at 2,500 rpm	Shaft: Horizontal		
Fuel Type: Unleaded	Fuel Tank Cap. : 6.5L	Fuel Consumption: 3.7 L/Hour	Oil Capacity: 1.1L	Dimensions: 405x450x443mm



HL186FA		10HP Air Cooled Diesel Engine		
Engine Type: Single-cylinder, Vertical 4-stroke air cooled		Ignition: Recoil Start		
Net Power: 6.5kW (8.8HP) at 3000rpm		Continuous Rated Power: 5.7kW (7.7hp) @3000rpm		
Bore x Stroke: 86x72mm	Displacement: 418cc	Compression Ratio: 20 : 1		
Horsepower Class: 10.0 hp	Max Torque: TBC	Shaft: multiple PTO		
Fuel Type: TBC	Fuel Tank Cap. : 5.5L	Fuel Consumption: 312 ml/kW.h at 3000rpm	Oil Capacity: 1.6L	Dimensions: 417x470x494mm



VACUUM CLEANERS



Vacuum Cleaner 1250W - Commercial
SP020



Vacuum Cleaner- 1400W - Commercial
SP040



Class Wet & Dry Vacuum Cleaner
166514



1150W 23L Wet & Dry Vacuum
DXV23P



1300W Backpack Commercial Vacuum
0022876



Triple Motor Jumbo Wet Dry Vacuum
VHJUMBOVAC



Compact Wet Dry Vac
VC20M-X



Wet/Dry Construction Vacuum
VC40M-X



18V Backpack Vacuum Dust Extractor
W137546



18V Li-ion Cordless 7.5L Vacuum
W129895



18V Li-ion Cordless Compact Vacuum
W123155



18V Compact Blower - Skin Only
W103446



Commercial Backpack Vacuum Accessory
0064847



Dewalt Hose Suit Dust Extractor
N619919



Vacmaster Vacuum Air Filter
809838



Dust bag VC 20/150-6 Plastic
2261451



Dust bag VC 40/150-10 Plastic
2262095

WWW.MRFILTER.COM.AU

WACKERS

VPY70		Wacker Neuson Diesel Plate Compactor		
Operating weight: 90kg	Centrifugal Force: 20kN	Base Plate Size: 610x460mm	Lowest Working Height: 611mm	Frequency: 116.6Hz
Advance travel (depending on soil): 28 m/min		Surface capacity (depending on soil): 770 m ² /h		
Engine / Motor type: air-cooled single cylinder diesel engine		Engine performance max. (DIN ISO 3046): 3.5 kW at rpm: 3,600 rpm		
Manufacturer: Yanmar	Displacement: 211 cm ³	Fuel Consumption: 0.96 L/h		



WWW.MRFILTER.COM.AU

SYDNEY (02) 9769 1166

Mr Filter EST 1996
TRUCKING EARTHMOVING MINING
SUPPLIES

BRISBANE (07) 5540 7530